






phpgw_applications
app_id integer(11) <pk>
app_name varchar(25)
app_enabled integer(11)
app_order integer(11)
app_tables text
app_version varchar(20)
phpgw_preferences
preference_owner integer(11) <pk>
preference_app varchar(25) <pk>
preference_value text
phpgw_config
config_app varchar(50)
config_name varchar(255) <pk>
config_value text
phpgw_nextid
id integer(11)
appname varchar(25) <pk>
phpgw_lang
message_id varchar(255) <pk>
app_name varchar(100) <pk>
lang varchar(5) <pk,fk>
content text
phpgw_sessions
session_id varchar(255) <pk>
session_lid varchar(255)
session_ip varchar(255)
session_logintime integer(11)
session_dla integer(11)
session_action varchar(255)
session_flags char(2)
phpgw_hooks
hook_id integer(11) <pk>
hook_appname varchar(255)
hook_location varchar(255)
hook_filename varchar(255)
lang_id = lang
phpgw_languages
lang_id char(2) <pk>
lang_name varchar(50)
available char(3)
phpgw_app_sessions
sessionid varchar(255)
loginid varchar(20)
location varchar(255)
app varchar(20)
content text
session_dla integer(11)
phpgw_acl
acl_appname varchar(50)
acl_location varchar(255)
acl_account integer(11)
acl_rights integer(11)
phpgw_history_log
history_id integer(11) <pk>
history_record_id integer(11)
history_appname varchar(64)
history_owner integer(11)
history_status char(2)
history_new_value text
history_timestamp datetime
phpgw_vfs
file_id integer(11) <pk>
owner_id integer(11)
createdby_id integer(11)
modifiedby_id integer(11)
created date
modified date
size integer(11)
mime_type varchar(150)
deleteable char(1)
comment text
app varchar(25)
directory text
name text
link_directory text
link_name text
version varchar(30)
content text
phpgw_interserv
server_id integer(11) <pk>
server_name varchar(64)
server_host varchar(255)
server_url varchar(255)
trust_level integer(11)
trust_rel integer(11)
username varchar(64)
password varchar(255)
admin_name varchar(255)
admin_email varchar(255)
server_mode varchar(16)
server_security varchar(16)
phpgw_categories
cat_id integer(11) <pk>
cat_main integer(11)
cat_parent integer(11)
cat_level smallint(6)
cat_owner integer(11)
cat_access varchar(7)
cat_appname varchar(50)
cat_name varchar(150)
cat_description varchar(255)
cat_data text
last_mod integer(11)
phpgw_access_log
sessionid varchar(32)
loginid varchar(30)
ip varchar(30)
li integer(11)
lo integer(11)
account_id integer(11)
phpgw_async
id varchar(255) <pk>
next integer(11)
times varchar(255)
method varchar(80)
data text
phpgwapi



account_id = news_submittedby
phpgw_accounts
account_id integer(11) <pk>
account_lid varchar(25)
account_pwd varchar(32)
account_firstname varchar(50)
account_lastname varchar(50)
account_permissions text
account_groups varchar(30)
account_lastlogin integer(11)
account_lastloginfrom varchar(255)
account_lastpwd_change integer(11)
account_status char(1)
account_expires integer(11)
account_type char(1)
account_id = account_id
phpgw_addressbook
id integer(11) <pk>
lid varchar(32) <fk>
tid char(1)
owner bigint(20)
access varchar(7)
cat_id varchar(32)
fn varchar(64)
n_family varchar(64)
n_given varchar(64)
n_middle varchar(64)
n_prefix varchar(64)
n_suffix varchar(64)
sound varchar(64)
bday varchar(32)
note text
tz varchar(8)
geo varchar(32)
url varchar(128)
pubkey text
org_name varchar(64)
org_unit varchar(64)
title varchar(64)
adr_one_street varchar(64)
adr_one_locality varchar(64)
adr_one_region varchar(64)
adr_one_postalcode varchar(64)
adr_one_countryname varchar(64)
adr_one_type varchar(32)
label text
adr_two_street varchar(64)
adr_two_locality varchar(64)
adr_two_region varchar(64)
adr_two_postalcode varchar(64)
adr_two_countryname varchar(64)
adr_two_type varchar(32)
tel_work varchar(40)
tel_home varchar(40)
tel_voice varchar(40)
tel_fax varchar(40)
tel_msg varchar(40)
tel_cell varchar(40)
tel_pager varchar(40)
tel_bbs varchar(40)
tel_modem varchar(40)
tel_car varchar(40)
tel_isdn varchar(40)
tel_video varchar(40)
tel_prefer varchar(32)
email varchar(64)
email_type varchar(32)
email_home varchar(64)
email_home_type varchar(32)
last_mod integer(11)
account_lid = lid
id = cont
account_id = account_id
account_id = log_id
phpgw_log
log_id integer(11) <pk,fk2>
log_date datetime
log_user integer(11) <fk1>
log_app varchar(50)
log_severity char(1)
log_id = log_msg_log_id
phpgw_log_msg
log_msg_log_id integer(11) <pk,fk>
log_msg_seq_no integer(11) <pk>
log_msg_date datetime
log_msg_tx_fid varchar(4)
log_msg_tx_id varchar(4)
log_msg_severity char(1)
log_msg_code varchar(30)
log_msg_msg text
log_msg_parms text
log_msg_file varchar(255)
log_msg_line integer(11)
phpgw_addressbook_extra
contact_id integer(11)
contact_owner bigint(20)
contact_name varchar(255)
contact_value text



news_admin
phpgw_news
news_id integer(11) <pk>
news_date integer(11)
news_subject varchar(255)
news_submittedby varchar(255) <fk>
news_content blob
news_status varchar(16)
news_cat integer(11)
news_teaser varchar(255)
phpgw_news_export
cat_id integer(11) <pk>
export_type smallint(6)
export_itemsyntax smallint(6)
export_title varchar(255)
export_link varchar(255)
export_description text
export_img_title varchar(255)
export_img_url varchar(255)
export_img_link varchar(255)
phpgw_ttrack_jobs
job_id integer(11) <pk>
company_id integer(11) <fk1>
contact_id integer(11) <fk3>
account_id integer(11) <fk4>
job_number integer(11)
job_revision varchar(5)
description text
quote_date date
quoted_hours integer(11)
opened_date date
deadline date
approved_by integer(11)
status_id integer(11) <fk2>
billable char(1)
summary varchar(60)
completed_date date
paid_date date
cancelled_date date
total_hours float(12,31)
exported char(1)
export_timestamp integer(11)
status_id = status_id
phpgw_ttrack_job_status
status_id integer(11) <pk>
status_name varchar(20)
company_id = company_id
phpgw_ttrack_customers
company_id integer(11) <pk>
company_name varchar(255)
website varchar(80)
ftpsite varchar(80)
industry_type varchar(50)
status varchar(30)
software varchar(40)
lastjobnum integer(11)
lastjobfinished date
busrelationship varchar(30)
notes text
active char(1)
phpgw_ttrack_locations
location_id integer(11) <pk>
location_name varchar(50)
job_id = job_id
phpgw_ttrack_job_details
detail_id integer(11) <pk>
job_id integer(11) <fk3>
account_id integer(11) <fk1>
work_catagory_id integer(11) <fk2>
work_date date
start_time varchar(10)
end_time varchar(10)
num_hours float(12,31)
detail_billable char(1)
comments text
exported char(1)
export_timestamp integer(11)
id = account_id
phpgw_ttrack_emplyprof
id integer(11) <pk>
lid varchar(20)
title varchar(255)
phone_number varchar(255)
comments text
mobilephn varchar(24)
pager varchar(20)
hire_date date
yearly_vacation_hours smallint(6)
vacation_hours_used_todate smallint(6)
location_id integer(11)
inorout char(1)
work_catagory_id = work_catagory_id
phpgw_ttrack_wk_cat
work_catagory_id integer(11) <pk>
catagory_desc varchar(50)
TimeTrack
phpgw_anglemail
account_id varchar(20) <pk>
data_key varchar(255) <pk>
content text
email



phpgw_cal
cal_id integer(11) <pk>
uid varchar(255)
owner bigint(20)
category varchar(30)
groups varchar(255)
datetime bigint(20)
mdatetime bigint(20)
edatetime bigint(20)
priority bigint(20)
cal_type varchar(10)
is_public bigint(20)
title varchar(80)
description text
location varchar(255)
reference bigint(20)
calendar
cal_id = cal_id
phpgw_cal_user
cal_id bigint(20) <pk,fk>
cal_login bigint(20) <pk>
cal_status char(1)
cal_id = cal_id
phpgw_cal_repeats
cal_id bigint(20) <fk>
recur_type bigint(20)
recur_use_end bigint(20)
recur_enddate bigint(20)
recur_interval bigint(20)
recur_data bigint(20)
recur_exception varchar(255)
phpgw_cal_holidays
hol_id integer(11) <pk>
locale char(2)
name varchar(50)
mday bigint(20)
month_num bigint(20)
occurence bigint(20)
dow bigint(20)
observance_rule bigint(20)
phpgw_cal_alarm
alarm_id integer(11) <pk>
cal_id bigint(20)
cal_owner bigint(20)
cal_time bigint(20)
cal_text varchar(50)
alarm_enabled integer(11)
todo
phpgw_todo
todo_id integer(11) <pk>
todo_id_parent integer(11)
todo_id_main integer(11)
todo_level smallint(6)
todo_owner integer(11)
todo_access varchar(7)
todo_cat integer(11)
todo_title varchar(255)
todo_des text
todo_pri integer(11)
todo_status integer(11)
todo_datecreated integer(11)
todo_startdate integer(11)
todo_enddate integer(11)
todo_assigned varchar(255)
assigned_group varchar(255)
entry_date integer(11)
xmlrpc
hr
manual
phpsysinfo
soap
backup
notifywindow
squirrelmail
vmailmgr
ftp
filemanager
img
phpgw_img
img_id integer(11) <pk>
img_owner varchar(25)
img_file varchar(255)
img_cat integer(11)
img_name varchar(255)
img_title varchar(255)
img_des text
img_thumb varchar(255)
img_copy varchar(255)
phpgw_infolog
info_id integer(11) <pk>
info_type varchar(10)
info_from varchar(64)
info_addr varchar(64)
info_subject varchar(64)
info_des text
info_owner integer(11)
info_responsible integer(11)
info_access varchar(10)
info_cat integer(11)
info_datemodified integer(11)
info_startdate integer(11)
info_enddate integer(11)
info_id_parent integer(11)
info_pri varchar(10)
info_time integer(11)
info_bill_cat integer(11)
info_status varchar(10)
info_confirm varchar(10)
info_modifier integer(11)
info_link_id integer(11)
phpgw_links
link_id integer(11) <pk>
link_app1 varchar(25)
link_id1 varchar(50)
link_app2 varchar(25)
link_id2 varchar(50)
link_remark varchar(50)
link_lastmod integer(11)
link_owner integer(11)
infolog



project
phpgw_p_projects
id integer(11) <pk>
num varchar(25)
owner integer(11)
access varchar(7)
entry_date integer(11)
start_date integer(11)
end_date integer(11)
coordinator integer(11)
customer integer(11)
status varchar(9)
descr text
title varchar(255)
budget decimal(20,2)
category integer(11)
parent integer(11)
time_planned integer(11)
date_created integer(11)
processor integer(11)
investment_nr varchar(50)
pcosts decimal(20,2)
phpgw_p_hours
id integer(11) <pk>
employee integer(11)
project_id integer(11)
activity_id integer(11) <fk>
entry_date integer(11)
start_date integer(11)
end_date integer(11)
remark text
minutes integer(11)
minperae integer(11)
billperae decimal(20,2)
status varchar(6)
hours_descr varchar(255)
dstatus char(1)
pro_parent integer(11)
phpgw_p_activities
id integer(11) <pk>
num varchar(20)
descr varchar(255)
remarkreq char(1)
minperae integer(11)
billperae decimal(20,2)
category integer(11)
id = activity_id
id = activity_id
phpgw_p_projectactivities
id integer(11) <pk>
project_id integer(11)
activity_id integer(11) <fk>
billable char(1)
id = hours_id
id = hours_id
phpgw_p_invoicepos
id integer(11) <pk>
invoice_id integer(11)
hours_id integer(11) <fk>
phpgw_p_deliverypos
id integer(11) <pk>
delivery_id integer(11)
hours_id integer(11) <fk>
id = project_id
id = project_id
phpgw_p_invoice
id integer(11) <pk>
num varchar(20)
date integer(11)
project_id integer(11) <fk>
customer integer(11)
sum decimal(20,2)
phpgw_p_delivery
id integer(11) <pk>
num varchar(20)
date integer(11)
project_id integer(11) <fk>
customer integer(11)
phpgw_p_projectmembers
id integer(11) <pk>
project_id integer(11)
account_id integer(11)
type char(2)
phpgw_p_pcosts
c_id integer(11) <pk>
project_id integer(11)
month integer(11)
pcosts decimal(20,2)
polls
phpgw_polls_settings
setting_name varchar(255)
setting_value varchar(255)
phpgw_polls_desc
poll_id integer(11) <pk>
poll_title char(100)
poll_timestamp integer(11)
phpgw_polls_data
poll_id integer(11)
option_text char(50)
option_count integer(11)
vote_id integer(11)
phpgw_polls_user
poll_id integer(11)
vote_id integer(11)
user_id integer(11)
vote_timestamp integer(11)
skel
phpgw_skel
skel_id integer(11) <pk>
skel_owner varchar(25)
skel_access varchar(10)
skel_cat integer(11)
skel_des text
skel_pri integer(11)
fax
phpgw_fax_prefs
faxuser varchar(255)
prefs text
phpgw_fax_admin
global_settings text



weather
phpgw_weather_links
links_id integer(11) <pk>
links_name varchar(35)
links_timetag integer(11)
links_refresh integer(11)
links_linkurl varchar(255)
links_baseurl varchar(255)
links_parseurl varchar(255)
links_parseexpr varchar(255)
links_imageurl varchar(255)
links_comment varchar(255)
links_type varchar(255)
phpgw_weather_admin
admin_gdlib_e integer(11)
admin_gdtype integer(11)
admin_imgsrc integer(11)
admin_remote_e integer(11)
admin_filesize bigint(20)
phpgw_weather
weather_id integer(11) <pk>
weather_owner varchar(32)
weather_metar varchar(255)
weather_links varchar(255)
weather_title_e integer(11)
weather_observ_e integer(11)
weather_foreca_e integer(11)
weather_links_e integer(11)
weather_wunder_e integer(11)
weather_fpage_e integer(11)
weather_template integer(11)
weather_city varchar(50)
weather_country varchar(50)
weather_gstation varchar(25)
weather_sticker integer(11)
weather_tmetar varchar(25)
weather_tsize integer(11)
weather_fpmetar varchar(25)
weather_fpsize integer(11)
state_id integer(11) <fk>
phpgw_weather_metar
metar_id integer(11) <pk>
metar_weather varchar(255)
metar_timestamp datetime
metar_station varchar(4) <pk>
metar_city varchar(128)
metar_forecast varchar(6)
metar_map char(3)
region_id integer(11) <fk>
region_id = region_id
phpgw_weather_region
region_id integer(11) <pk>
region_name varchar(50)
state_id = state_id
phpgw_us_states
state_id integer(11) <pk>
state_code char(2)
state_name varchar(50)
bookmarks
phpgw_bookmarks
bm_id integer(11) <pk>
bm_owner integer(11)
bm_access varchar(255)
bm_url varchar(255)
bm_name varchar(255)
bm_desc varchar(255)
bm_keywords varchar(255)
bm_category integer(11)
bm_rating integer(11)
bm_info varchar(255)
bm_visits integer(11)
qmailldap
phpgw_qmailldap
id integer(11) <pk>
qmail_servername varchar(50)
qmail_dn varchar(200)
use_default_ldap_server smallint(6)
ldap_servername varchar(50)
ldap_basedn varchar(200)
ldap_admindn varchar(200)
ldap_adminpw varchar(30)
description varchar(200)
comic
phpgw_comic_data
data_id integer(11) <pk>
data_enabled char(1)
data_name varchar(25)
data_author varchar(128)
data_title varchar(255)
data_prefix varchar(25)
data_date integer(11)
data_comicid integer(11)
data_linkurl varchar(255)
data_baseurl varchar(255)
data_parseurl varchar(255)
data_parsexpr varchar(255)
data_imageurl varchar(255)
data_pubdays varchar(25)
data_parser varchar(32)
data_class varchar(32)
data_censorlvl smallint(6)
data_resolve varchar(32)
data_daysold integer(11)
data_width integer(11)
data_swidth integer(11)
phpgw_comic
comic_id integer(11) <pk>
comic_owner varchar(32)
comic_list blob
comic_scale smallint(6)
comic_perpage smallint(6)
comic_frontpage integer(11)
comic_fpscale smallint(6)
comic_censorlvl smallint(6)
comic_template smallint(6)
phpgw_comic_admin
admin_imgsrc smallint(6) <pk>
admin_rmtenabled smallint(6)
admin_censorlvl smallint(6)
admin_coverride smallint(6)
admin_filesize integer(11)
felamimail
phpgw_felamimail_cache
accountid integer(11) <pk>
hostname varchar(60) <pk>
accountname varchar(200) <pk>
foldername varchar(200) <pk>
uid integer(11) <pk>
subject text
striped_subject text
sender_name varchar(120)
sender_address varchar(120)
to_name varchar(120)
to_address varchar(120)
date datetime
size integer(11)
attachments varchar(120)
phpgw_felamimail_folderstatus
accountid integer(11) <pk>
hostname varchar(60) <pk>
accountname varchar(200) <pk>
foldername varchar(200) <pk>
messages integer(11)
recent integer(11)
unseen integer(11)
uidnext integer(11)
uidvalidity integer(11)



netsaint
phpgw_ns_hostgroup
hg_id integer(11) <pk>
hg_name varchar(25)
hg_owner integer(11)
hg_access varchar(7)
hg_cat integer(11)
hg_date integer(11)
hg_alias varchar(255)
hg_contact varchar(255)
hg_hosts text
phpgw_ns_host
h_id integer(11) <pk>
h_name varchar(25)
h_owner integer(11)
h_access varchar(7)
h_cat integer(11)
h_date integer(11)
h_alias varchar(225)
h_address varchar(255)
h_parent varchar(255)
h_check varchar(25)
h_max_attempts smallint(6)
h_not_intval smallint(6)
h_not_period varchar(25)
h_not_recovery char(1)
h_not_down char(1)
h_not_unreach char(1)
h_event_handler varchar(25)
phpgw_ns_time
t_id integer(11) <pk>
t_value varchar(11)
phpgw_ns_contactgroup
cg_id integer(11) <pk>
cg_name varchar(25)
cg_owner integer(11)
cg_access varchar(7)
cg_cat integer(11)
cg_date integer(11)
cg_alias varchar(255)
cg_contacts text
phpgw_ns_contact
c_id integer(11) <pk>
c_name varchar(25)
c_owner integer(11)
c_access varchar(7)
c_cat integer(11)
c_date integer(11)
c_alias varchar(255)
csv_not_period varchar(25)
h_not_period varchar(25)
not_service_rec char(1)
not_service_crit char(1)
not_service_warn char(1)
not_host_rec char(1)
not_host_down char(1)
not_host_unreach char(1)
service_not_comand varchar(255)
host_not_comand varchar(255)
c_email varchar(50)
c_pager varchar(50)
phpgw_ns_escalation
e_id integer(11) <pk>
e_owner integer(11)
e_access varchar(7)
e_cat integer(11)
e_date integer(11)
e_name varchar(25)
e_type varchar(4)
e_descr varchar(255)
e_first smallint(6)
e_last smallint(6)
e_c_groups varchar(255)
phpgw_ns_service
s_id integer(11) <pk>
s_owner integer(11)
s_access varchar(7)
s_cat integer(11)
s_date integer(11)
s_host varchar(25)
s_descr varchar(255)
s_vol char(1)
s_period varchar(25)
s_max smallint(6)
c_intval smallint(6)
r_intval smallint(6)
cg varchar(25)
not_intval smallint(6)
not_period varchar(25)
not_recover char(1)
not_crit char(1)
not_warn char(1)
s_event varchar(25)
s_comand varchar(25)
phpgw_ns_comand
co_id integer(11) <pk>
co_cat integer(11)
co_date integer(11)
co_name varchar(25)
co_line text
co_enabled char(1)
co_type varchar(4)
phpgw_ns_tp
tp_id integer(11) <pk>
tp_name varchar(25)
tp_owner integer(11)
tp_access varchar(7)
tp_cat integer(11)
tp_date integer(11)
tp_alias varchar(225)
sun_time varchar(255)
mon_time varchar(255)
tue_time varchar(255)
wed_time varchar(255)
thu_time varchar(255)
fri_time varchar(255)
sat_time varchar(255)
messenger
phpgw_messenger_messages
message_id integer(11) <pk>
message_owner integer(11)
message_from integer(11)
message_status char(1)
message_date integer(11)
message_subject text
message_content text
meerkat
phpgw_discuss
msg_id integer(11)
name varchar(255)
comment varchar(255)
count integer(11)
eldaptir
phpgw_eldaptir_schema
id integer(11)
_oid varchar(64)
name varchar(64)
extra varchar(255)
descr varchar(255)
must varchar(255)
may varchar(255)
phpgw_eldaptir_servers
id integer(11) <pk>
name varchar(32)
type varchar(32)
basedn varchar(64)
rootdn varchar(64)
rootpw varchar(64)
is_default smallint(6)



cdb
phpgw_cdb_contact_main
contact_id integer(11) <pk>
main_organization_location_sele integer(11)
first_name varchar(255)
middle_name varchar(255)
last_name varchar(255)
last_name_prefix varchar(10)
initials varchar(6)
location varchar(255)
nickname varchar(255)
profession varchar(255)
suffix varchar(20)
title varchar(20)
email_selector integer(11)
web_selector integer(11)
mailing_address_selector integer(11)
phone1_selector integer(11)
phone2_selector integer(11)
phone3_selector integer(11)
phone4_selector integer(11)
phone5_selector integer(11)
phone6_selector integer(11)
phone7_selector integer(11)
phone8_selector integer(11)
phpgw_cdb_contact_personal
contact_id integer(11) <pk>
birthday integer(11)
children text
gender varchar(32)
gov_id_num varchar(20)
hobbies text
language integer(11)
spouse text
anniversary integer(11)
phpgw_cdb_contact_org
organization_link_id integer(11) <pk>
organization_location_id integer(11)
contact_id integer(11)
assistant_name varchar(255)
assistant_phone varchar(100)
assistant_email varchar(50)
department varchar(255)
job_title varchar(255)
manager_name varchar(255)
phpgw_cdb_contact_internet
contact_id integer(11) <pk>
email_home char(50)
email_home_display char(50)
email_business char(50)
email_business_display char(50)
email_other char(50)
email_other_display char(50)
ftp char(100)
free_busy_address char(100)
personal_home_page char(100)
business_home_page char(100)
other_home_page char(100)
send_as_plain_text integer(11)
icq char(20)
phpgw_cdb_contact_client
contact_id integer(11) <pk>
account text
billing_info text
customer_id varchar(20)
referred_by text
phpgw_cdb_contact_flag
flag_id integer(11) <pk>
user_id integer(11)
flag_name char(40)
flag_color char(6)
phpgw_cdb_contact_flag_link
flag_link_id integer(11) <pk>
user_id integer(11)
contact_id integer(11)
flag_id integer(11)
phpgw_cdb_contact_followup
followup_id integer(11) <pk>
followup_name char(20)
followup_color char(6)
phpgw_cdb_entity_notes
entity_id integer(11) <pk>
note text
phpgw_cdb_entity_meta
entity_id integer(11) <pk>
status varchar(16)
created integer(11)
modified integer(11)
file_as varchar(50)
followup_status integer(11)
created_by integer(11)
keywords text
group_access integer(11)
version float(12,31)
ldap_sync integer(11)
ldap_dn varchar(100)
phpgw_cdb_contact_addr
contact_address_id integer(11) <pk>
entity_id integer(11)
address_category_id integer(11)
address_city varchar(255)
address_country varchar(255)
postal_code varchar(255)
address_street varchar(255)
phpgw_cdb_entity_id
entity_id integer(11) <pk>
contact_id integer(11)
organization_id integer(11)
entity_id = entity_id
phpgw_cdb_contact_addr_cat
address_category_id integer(11) <pk>
address_category_name char(20)
phpgw_cdb_category_link
category_link_id integer(11) <pk>
category_id integer(11) <fk2>
entity_id integer(11) <fk1>
phpgw_cdb_contact_phone
contact_phone_id integer(11) <pk>
entity_id integer(11)
phone_category_id integer(11)
number char(100)
category_id = category_id
phpgw_cdb_contact_phone_cat
phone_category_id integer(11) <pk>
phone_category_name char(20)
phpgw_cdb_category
category_id integer(11) <pk>
name char(40)



phpgw_inv_deliverypos
id integer(11) <pk>
delivery_id integer(11) <fk3>
product_id integer(11) <fk1,fk2,fk4>
id = delivery_id
phpgw_inv_delivery
id integer(11) <pk>
num varchar(20)
delivery_id varchar(20)
date integer(11)
order_id integer(11) <fk1,fk2,fk3>
id = product_id
con = product_id
order_id = order_id
id = order_id
phpgw_inv_products
con integer(11) <pk>
id varchar(20)
serial varchar(64)
name varchar(255)
descr text
category integer(11)
status integer(11)
weight integer(11)
cost decimal(10,2)
price decimal(10,2)
retail decimal(10,2)
stock integer(11)
mstock integer(11)
url varchar(255)
ftp varchar(255)
dist integer(11)
pdate integer(11)
sdate integer(11)
bin integer(11)
product_note text
phpgw_inv_orderpos
id integer(11) <pk>
order_id integer(11) <fk3>
product_id integer(11) <fk1,fk2,fk4>
piece integer(11)
tax decimal(6,2)
dstatus char(4)
istatus char(4)
phpgw_inv_orders
id integer(11) <pk>
owner integer(11)
access varchar(7)
num varchar(20)
date integer(11)
customer integer(11)
descr text
status varchar(7)
con = product_id
id = product_id
id = order_id
order_id = order_id
id = order_id
phpgw_inv_invoice
id integer(11) <pk>
num varchar(20)
date integer(11)
order_id integer(11) <fk1,fk2>
sum decimal(20,2)
id = product_id
con = product_id
id = invoice_id
phpgw_inv_invoicepos
id integer(11) <pk>
invoice_id integer(11) <fk3>
product_id integer(11) <fk1,fk2,fk4>
phpgw_inv_statuslist
status_id integer(11) <pk>
status_name varchar(255)
phpgw_inv_stockrooms
id integer(11) <pk>
room_owner integer(11)
room_access varchar(7)
room_name varchar(255)
room_note text
inv
phpgw_wiki_pages
title varchar(80) <pk>
version integer(11) <pk>
time integer(11)
supercede integer(11)
mutable char(3)
username varchar(80)
author varchar(80)
comment varchar(80)
body text
phpgw_wiki_interwiki
prefix varchar(80) <pk>
where_defined varchar(80)
url varchar(255)
phpgw_wiki_rate
ip char(20) <pk>
time integer(11)
viewLimit smallint(6)
searchLimit smallint(6)
editLimit smallint(6)
phpgw_wiki_sisterwiki
prefix varchar(80) <pk>
where_defined varchar(80)
url varchar(255)
phpgw_wiki_links
page varchar(80) <pk>
link varchar(80) <pk>
count integer(11)
wiki
phpgw_wiki_remote_pages
page varchar(80) <pk>
site varchar(80) <pk>
developer tools
phpgw_devtools_diary
diary_id integer(11) <pk>
diary_owner bigint(20)
diary_date bigint(20)
diary_access varchar(4)
diary_summary varchar(8)
diary_details text
phpgw_devtools_changelogs
changelog_id integer(11) <pk>
changelog_cat bigint(20)
changelog_timestamp bigint(20)
changelog_version varchar(20)
changelog_content text
phpgw_devtools_sf_cache
cache_id bigint(20)
cache_timestamp bigint(20)
cache_content text



bookkeeping
phpgw_bk_t
transaction_id integer(11) <pk>
bookkeeping_account_id integer(11)
date_transaction integer(11)
category_id integer(11)
description text
amount decimal(20,2)
currency_id integer(11)
phpgw_account_id integer(11)
account_id integer(11)
phpgw_bk_c
category_id integer(11) <pk>
parent_category_id integer(11)
bookkeeping_account_id integer(11)
category varchar(255)
description text
phpgw_bk_ba
bookkeeping_account_id integer(11) <pk>
bookkeeping_account varchar(255)
phpgw_bk_bm
bookkeeping_account_id integer(11)
module_id integer(11) <fk>
module_id = module_id
phpgw_bk_a
account_id integer(11) <pk>
account_type_id integer(11)
bookkeeping_account_id integer(11)
account varchar(255)
phpgw_bk_at
account_type_id integer(11) <pk>
account_type varchar(255)
phpgw_bk_gr
group_id integer(11)
location_id integer(11)
acl_right integer(11)
phpgw_bk_gpa
group_id integer(11)
phpgw_account_id integer(11)
phpgw_bk_l
location_id integer(11) <pk>
location varchar(255)
module_id integer(11)
phpgw_bk_m
module_id integer(11) <pk>
module varchar(255)
module_order integer(11)
phpgw_bk_g
group_id integer(11) <pk>
group_ varchar(255)
bookkeeping_account_id integer(11)
wcm
phpgw_wcm_pages
page_id integer(11) <pk>
page_name varchar(64)
page_title varchar(255)
page_url varchar(255)
page_elements text
page_header varchar(255)
page_footer varchar(255)
page_expire varchar(64)
page_langs varchar(255)
page_version varchar(64)
page_left integer(11)
page_mid integer(11)
page_right integer(11)
page_bgcolor varchar(8)
page_sites varchar(64)
phpgw_wcm_elements
element_id integer(11) <pk>
element_name varchar(64)
element_title varchar(255)
element_type varchar(64)
element_source text
element_hf varchar(16)
element_expire varchar(64)
element_langs varchar(255)
element_version varchar(64)
element_pages varchar(64)
phpgw_wcm_sites
site_id integer(11) <pk>
site_name varchar(64)
site_title varchar(255)
site_url varchar(255)
site_root varchar(255)
username varchar(64)
password varchar(255)
admin_name varchar(255)
admin_email varchar(255)
site_security varchar(16)
site_pages text
site_header varchar(255)
site_footer varchar(255)
site_langs varchar(255)
site_version varchar(64)
site_left integer(11)
site_mid integer(11)
site_right integer(11)
site_paneo integer(11)
site_pubtype varchar(16)
site_puburl varchar(255)
site_pubport integer(11)
site_bgcolor varchar(8)
tts
phpgw_tts_tickets
ticket_id integer(11) <pk>
ticket_group varchar(40)
ticket_priority smallint(6)
ticket_owner varchar(10)
ticket_assignedto varchar(10)
ticket_subject varchar(255)
ticket_category varchar(25)
ticket_billable_hours decimal(8,2)
ticket_billable_rate decimal(8,2)
ticket_status char(1)
ticket_details text
phpgw_tts_views
view_id integer(11)
view_account_id varchar(40)
view_time integer(11)
cart


nntp
newsgroups
con integer(11) <pk>
name varchar(255)
messagecount integer(11)
lastmessage integer(11)
active char(1)
lastread integer(11)
news_msg
con integer(11) <pk>
msg integer(11) <pk>
uid varchar(255)
udate integer(11)
path varchar(255)
fromadd varchar(255)
toadd varchar(255)
ccadd varchar(255)
bccadd varchar(255)
reply_to varchar(255)
sender varchar(255)
return_path varchar(255)
subject varchar(255)
message_id varchar(255)
reference varchar(255)
in_reply_to varchar(255)
follow_up_to varchar(255)
nntp_posting_host varchar(255)
nntp_posting_date varchar(255)
x_complaints_to varchar(255)
x_trace varchar(255)
x_abuse_info varchar(255)
x_mailer varchar(255)
organization varchar(255)
content_type varchar(255)
content_description varchar(255)
content_transfer_encoding varchar(255)
mime_version varchar(255)
msgsize integer(11)
msglines integer(11)
body text
forum
phpgw_forum_forums
id integer(11) <pk>
name varchar(255)
perm smallint(6)
groups varchar(255)
descr varchar(255)
cat_id integer(11)
phpgw_forum_threads
id integer(11) <pk>
postdate datetime
main integer(11)
parent integer(11)
cat_id integer(11)
for_id integer(11)
thread_owner integer(11)
subject varchar(255)
stat smallint(6)
thread integer(11)
depth integer(11)
pos integer(11)
n_replies integer(11)
phpgw_forum_categories
id integer(11) <pk>
name varchar(255)
descr varchar(255)
phpgw_forum_body
id integer(11) <pk>
cat_id integer(11)
for_id integer(11)
message blob
dj
phpgw_dj_shows
show_id integer(11) <pk>
show_name varchar(255)
show_data text
show_owner integer(11)
phpgw_dj_directories
dir_id integer(11) <pk>
dir_name varchar(255)
phpgw_dj_que
que_id integer(11) <pk>
que_song varchar(255)
phpgw_dj_songlist
song_id integer(11) <pk>
song_name varchar(255)
song_title varchar(255)
song_artist varchar(255)
song_album varchar(255)
song_year varchar(4)
song_comment varchar(255)
song_genre varchar(64)
song_size varchar(32)
song_length varchar(64)
song_bitsize integer(11)
song_samplerate integer(11)
song_frames integer(11)
song_emphasis varchar(255)
song_cmode varchar(255)
song_version varchar(255)
song_layer varchar(10)
song_crc varchar(255)
song_copyright varchar(4)
song_original varchar(255)
song_status char(2)
song_cycle_status char(1)
export smallint(6)
phpbrain
phpgw_kb_faq
faq_id integer(11) <pk>
title text
text text
cat_id integer(11)
published smallint(6)
keywords text
user_id integer(11)
views integer(11)
modified integer(11)
is_faq smallint(6)
url varchar(128)
votes integer(11)
total integer(11)
phpgw_kb_questions
question_id integer(11) <pk>
question text
pending smallint(6)
phpgw_kb_comment
comment_id integer(11) <pk>
user_id integer(11)
comment text
entered integer(11)
faq_id integer(11)


phpgw_cdb_org
organization_id integer(11) <pk>
organization_name varchar(100)
organization_home_page text
organization_network_name varchar(100)
organization_gov_id_num varchar(20)
main_location integer(11)
phpgw_cdb_language
language_id integer(11) <pk>
language_name char(40)
language_code char(10)
phpgw_cdb_org_client
organization_id integer(11) <pk>
account text
billing_info text
customer_id varchar(20)
referred_by text
phpgw_cdb_views
view_id integer(11) <pk>
cache_date integer(11)
owner integer(11)
group_owner varchar(255)
view_public varchar(32)
name varchar(30)
type integer(11)
view_fields varchar(255)
view_filter text
sort varchar(100)
view_group varchar(100)
phpgw_cdb_org_location
location_id integer(11) <pk>
organization_id integer(11)
location text
address_city varchar(255)
address_country varchar(255)
postal_code varchar(255)
address_street varchar(255)
number varchar(100)
phpgw_cdb_recent
account_id integer(11) <pk>
orgs varchar(20)
contacts varchar(20)
views varchar(20)
mediadb
phpgw_mediadb
phpgw_mediadb_id integer(11) <pk>
phpgw_mediadb_owner varchar(25)
phpgw_mediadb_access varchar(10)
phpgw_mediadb_score integer(11)
phpgw_mediadb_hscore integer(11)
phpgw_mediadb_idate datetime
phpgw_mediadb_avail smallint(6)
data_id integer(11)
phpgw_mediadb_loan
loan_id integer(11) <pk>
loan_owner varchar(25)
loan_borrower varchar(25)
loan_date date
loan_date_due date
loan_date_ret date
loan_returned smallint(6)
phpgw_mediadb_id integer(11)
phpgw_mediadb_region
region_id integer(11) <pk>
region_code smallint(6)
region_desc varchar(25)
phpgw_mediadb_feature
feature_id integer(11) <pk>
feature_type varchar(50)
feature_desc varchar(255)
phpgw_mediadb_cat
cat_id integer(11) <pk>
cat_name varchar(50)
cat_enabled smallint(6)
cat_fname varchar(255)
cat_fenabled varchar(255)
cat_fwidth varchar(255)
cat_fsort varchar(255)
phpgw_mediadb_artist
artist_id integer(11) <pk>
artist_fname varchar(50)
artist_lname varchar(50)
phpgw_mediadb_data
data_id integer(11) <pk>
data_genre varchar(255)
data_feature varchar(255)
data_artist varchar(255)
data_publisher varchar(255)
data_code varchar(10)
data_title varchar(255)
data_date varchar(19)
data_comments varchar(255)
data_score integer(11)
data_image varchar(255)
data_efile varchar(255)
data_pages smallint(6)
data_hscore integer(11)
cat_id smallint(6)
rating_id smallint(6)
format_id smallint(6)
region_id smallint(6)
phpgw_mediadb_format
format_id integer(11) <pk>
format_desc varchar(64)
format_efiles smallint(6)
format_pages smallint(6)
format_regions smallint(6)
format_hscores smallint(6)
cat_id smallint(6)
phpgw_mediadb_rating
rating_id integer(11) <pk>
rating_desc varchar(64)
cat_id smallint(6)
phpgw_mediadb_genre
genre_id integer(11) <pk>
genre_desc varchar(64)
cat_id smallint(6)
phpgw_mediadb_publisher
publisher_id integer(11) <pk>
publisher_name varchar(50)
phpgw_mediadb_request
request_id integer(11) <pk>
request_owner varchar(25)
request_status varchar(255)
request_date date
request_date_r date
phpgw_mediadb_id integer(11)
phpgw_mediadb_lookup
lookup_id integer(11) <pk>
lookup_url varchar(255)
lookup_block varchar(255)
lookup_component varchar(255)
lookup_field varchar(25)
cat_id smallint(6)


addbook
phpgw_addbook_relation
id integer(11) <pk,fk>
job varchar(100)
org_link integer(11)
id = id
phpgw_addbook_person_main
id integer(11) <pk>
title varchar(50)
last_name varchar(50)
middle varchar(50)
first_name varchar(50)
initials varchar(10)
birthday varchar(10)
gender varchar(20)
notes text
cat_id integer(11)
id = id
phpgw_addbook_meta
id integer(11) <fk1,fk2>
created datetime
owner integer(11)
modified datetime
modifier integer(11)
access varchar(7)
cat_id integer(11)
lid varchar(32)
tid char(1)
id = id
id = id
phpgw_addbook_address
id integer(11) <pk,fk1,fk2>
street varchar(50)
postal_code varchar(10)
po_box varchar(20)
city varchar(50)
state varchar(50)
country varchar(50)
id = id
phpgw_addbook_org_main
id integer(11) <pk>
name varchar(100)
notes text
belongs_to_id integer(11)
cat_id integer(11)
phpgw_addbook_contacts
id integer(11)
contact_category_id integer(11)
contact varchar(100)
phpgw_addbook_contact_cat
contact_category_id integer(11) <pk>
category_name varchar(50)
phpgw_addbook_ocontacts
id integer(11) <pk>
phone varchar(50)
fax varchar(50)
email varchar(50)
www varchar(50)
pref varchar(5)
phpgw_addbook_pcontacts
id integer(11) <pk>
b_phone varchar(50)
p_phone varchar(50)
b_email varchar(50)
p_email varchar(50)
mobile varchar(50)
fax varchar(50)
pref varchar(8)
antispam
phpgw_antispam
username varchar(100)
preference varchar(30)
value varchar(100)
prefid integer(11) <pk>
stocks
phpgw_stocks
stock_id integer(11) <pk>
stock_owner integer(11)
stock_access varchar(7)
stock_name varchar(255)
stock_symbol varchar(255)
stock_country char(2)
notes
phpgw_notes
note_id integer(11) <pk>
note_owner integer(11)
note_access varchar(7)
note_date integer(11)
note_category integer(11)
note_content text
syncml-server
phpgw_syncml_luidmap
device_id integer(11)
guid varchar(16)
luid varchar(4)
phpgw_syncml_device
device_id integer(11) <pk>
name varchar(15)
owner varchar(25)
server_last_sync varchar(15)
client_last_sync varchar(15)
capabilities varchar(255)
phpgw_syncml_guidmap
guid varchar(16) <pk>
appname char(1)
record_id integer(11)
record_status char(1)
registration
phpgw_reg_fields
field_name varchar(255)
field_text text
field_type varchar(255)
field_values text
field_required char(1)
field_order integer(11)
phpgw_reg_accounts
reg_id varchar(32)
reg_lid varchar(255)
reg_info text
reg_dla integer(11)


brewer
phpgw_brewer_recipes
id integer(11) <pk>
name varchar(64)
style integer(11)
total_vol decimal(4,2)
vol_units varchar(16)
boil_vol decimal(4,2)
boil_units varchar(16)
boil_time integer(11)
yeasts varchar(255)
num_yeasts integer(11)
yeast_amounts varchar(255)
yeast_units varchar(16)
malts varchar(255)
num_malts integer(11)
malt_amounts varchar(255)
malt_colors varchar(255)
malt_gravities varchar(255)
malt_units varchar(255)
hops varchar(255)
num_hops integer(11)
hop_amounts varchar(255)
hop_times varchar(255)
hop_IBUs varchar(255)
hop_units varchar(255)
hop_bag char(1)
IBU_method varchar(32)
extraction_efficiency decimal(4,2)
apparent_attenuation decimal(4,2)
real_attenuation decimal(4,2)
original_gravity decimal(5,3)
final_gravity decimal(5,3)
alcohol_by_volume decimal(5,2)
color varchar(32)
IBUs varchar(255)
phpgw_brewer_styles
id integer(11) <pk>
name varchar(64)
stock char(1)
description text
ingredients varchar(255)
mingravity decimal(5,3)
maxgravity decimal(5,3)
minalcohol decimal(5,2)
maxalcohol decimal(5,2)
mincolor decimal(5,2)
maxcolor decimal(5,2)
minbitter decimal(5,2)
maxbitter decimal(5,2)
phpgw_brewer_malts
id integer(11) <pk>
name varchar(64)
gravity decimal(5,3)
avg_color decimal(5,2)
starch_conv smallint(6)
description varchar(255)
phpgw_brewer_yeasts
id integer(11) <pk>
name varchar(64)
avgatten decimal(4,2)
flocrate smallint(6)
description varchar(255)
phpgw_brewer_hops
id integer(11) <pk>
name varchar(64)
avg_alpha decimal(4,2)
avg_iols decimal(4,2)
description varchar(255)
chora
phpgw_chora_sites
id integer(11) <pk>
name varchar(32)
location varchar(64)
title varchar(32)
intro varchar(32)
cvsusers varchar(64)
is_default smallint(6)
headlines
phpgw_headlines_sites
con integer(11) <pk>
display varchar(255)
base_url varchar(255)
newsfile varchar(255)
lastread integer(11)
newstype varchar(15)
cachetime integer(11)
listings integer(11)
phpgw_headlines_cached
site integer(11)
title varchar(255)
link varchar(255)
chat
phpgw_chat_privatechat
con integer(11) <pk>
user1 varchar(25)
user2 varchar(25)
sentby varchar(25)
message text
messagetype integer(11)
timesent integer(11)
closed integer(11)
phpgw_chat_messages
con integer(11) <pk>
channel varchar(20)
loginid varchar(25)
message text
messagetype integer(11)
timesent integer(11)
phpgw_chat_currentin
con integer(11) <pk>
loginid varchar(25)
channel varchar(20)
lastmessage integer(11)
phpgw_chat_channel
con integer(11) <pk>
name varchar(10)
title varchar(50)
javassh
phpgw_javassh_servers
server_id integer(11) <pk>
host varchar(50)
port integer(11)
protocol varchar(6)
active smallint(6)


sitemgr
phpgw_sitemgr_content_lang
version_id integer(11) <pk>
block_id integer(11) <pk,fk>
lang char(2) <pk>
arguments_lang text
title varchar(255)
block_id = block_id
phpgw_sitemgr_content
version_id integer(11) <pk>
block_id integer(11) <pk,fk1>
area varchar(50)
cat_id integer(11)
page_id integer(11)
module_id integer(11) <fk2>
arguments text
state smallint(6)
sort_order integer(11)
viewable integer(11)
actif smallint(6)
phpgw_sitemgr_blocks
block_id integer(11) <pk>
area varchar(50)
cat_id integer(11)
page_id integer(11)
module_id integer(11) <fk1>
sort_order integer(11)
viewable integer(11)
block_id = block_id
module_id = module_id
module_id = module_id
block_id = block_id
phpgw_sitemgr_modules
module_id integer(11) <pk>
module_name varchar(25)
description varchar(255)
phpgw_sitemgr_blocks_lang
block_id integer(11) <pk,fk>
lang char(2) <pk>
title varchar(255)
module_id = module_id
module_id = module_id
phpgw_sitemgr_properties
area varchar(50) <pk>
cat_id integer(11) <pk>
module_id integer(11) <pk,fk>
properties text
phpgw_sitemgr_active_modules
area varchar(50) <pk>
cat_id integer(11) <pk>
module_id integer(11) <pk,fk>
phpgw_sitemgr_pages_lang
page_id integer(11) <pk>
lang char(2) <pk>
title varchar(255)
subtitle varchar(255)
phpgw_sitemgr_pages
page_id integer(11) <pk>
cat_id integer(11)
sort_order integer(11)
hide_page integer(11)
name varchar(100)
state smallint(6)
phpgw_sitemgr_categories_state
cat_id integer(11) <pk>
state smallint(6)
phpgw_sitemgr_sites
site_id integer(11) <pk>
site_name varchar(255)
site_url varchar(255)
site_dir varchar(255)
themesel varchar(50)
site_languages varchar(50)
home_page_id integer(11)
anonymous_user varchar(50)
anonymous_passwd varchar(50)
phpgw_sitemgr_categories_lang
cat_id integer(11) <pk>
lang char(2) <pk>
name varchar(100)
description varchar(255)
phpgw_addressbook_servers
name varchar(64) <pk>
basedn varchar(255)
search varchar(32)
attrs varchar(255)
enabled integer(11)
addressbook
phpgw_etemplate
et_name varchar(80) <pk>
et_template varchar(20) <pk>
et_lang varchar(5) <pk>
et_group integer(11) <pk>
et_version varchar(20) <pk>
et_data text
et_size varchar(128)
et_style text
et_modified integer(11)
etemplate

Physical Data Model	
Model: phpGroupware	
Package:	
Diagram: phpGroupware	
Author: Dipl.-Inform. Kai Hofmann	Date : 20.06.2003
Version : HEAD	